

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	82331	(receiv\$3 near6 ((tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:34
L2	82320	(receiv\$3 near6 ((N-tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:35
L3	35027	(receiv\$3 near6 ((N-tuple near3 address) or packet)) and (determin\$3 near6 ((N-tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:35
L4	32023	(receiv\$3 near6 ((N-tuple near3 address) or packet)) and (determin\$3 near6 ((N-tuple near3 address) or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 ((N-tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:37
L5	110641	((receiv\$3 or determin\$3 or send\$3 or forward\$3 or transmit\$3) near6 ((N-tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:38
L20	8535	(receiv\$3 near6 ((N-tuple near3 address) or packet)) and (determin\$3 near6 ((N-tuple near3 address) or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 ((N-tuple near3 address) or packet)) and (compar\$4 near6 ((N-tuple near3 address) or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:20
L21	409	(receiv\$3 near6 ((N-tuple near3 address) or packet)) and (determin\$3 near6 ((N-tuple near3 address) or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 ((N-tuple near3 address) or packet)) and (compar\$4 near6 ((N-tuple near3 address) or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 11:52
L23	225	(receiv\$3 near6 ((N-tuple near3 address) or packet)) and (determin\$3 near6 ((N-tuple near3 address) or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 ((N-tuple near3 address) or packet)) and (compar\$4 near6 ((N-tuple near3 address) or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and @ad<"20021114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:18

## EAST Search History

L25	399	(receiv\$3 near6 (address or packet)) and (determin\$3 near6 (address or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or packet)) and (compar\$4 near6 ( address or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and @ad<"20021114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:19
L26	796	(receiv\$3 near6 (address or packet)) and (determin\$3 near6 (address or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or packet)) and (compar\$4 near6 ( address or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:21
L27	752	(receiv\$3 near6 (address or packet)) and (determin\$3 near6 (address or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or packet)) and (compar\$4 near6 ( address or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:22
L28	272	(receiv\$3 near6 (address or packet)) and (determin\$3 near6 (address or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or packet)) and (compar\$4 near6 ( address or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:23
L29	192	(receiv\$3 near6 (address or packet)) and (determin\$3 near6 (address or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or packet)) and (compar\$4 near6 ( address or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor)) and (add\$3 or modify\$3) near3 address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:29

## EAST Search History

L30	217	(receiv\$3 near6 (address or header or packet)) and (determin\$3 near6 (address or header or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or header or packet)) and (compar\$4 near6 ( address or header or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor)) and (add\$3 or modify\$3) near3 (address or header )	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:34
L31	105	(receiv\$3 near6 (address or header or packet)) and (determin\$3 near6 (address or header or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or header or packet)) and (compar\$4 near6 ( address or header or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor)) and (add\$3 or modify\$3) near3 (address or header ) and @ad<"20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:36
L32	0	(receiv\$3 near6 (address or header or packet)) and (determin\$3 near6 (address or header or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (address or header or packet)) and (compar\$4 near6 ( address or header or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor)) and (add\$3 or modify\$3) near3 (address or header ) and (firewall.ti.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:37

## EAST Search History

L33	33	(receiv\$3 near6 (header or packet)) and (determin\$3 near6 (header or packet)) and ((send\$3 or forward\$3 or transmit\$3) near6 (header or packet)) and (compar\$4 near6 (header or packet)) and ((quadrant near3 identifier) or (hash near3 function) or (modulo near3 division)) and (firewall or computer or router) and (read\$3 near3 (source or port or processor)) and (add\$3 or modify\$3) near3 (header )	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:41
L34	506	(firewall).ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:41
L35	328	(firewall).ti. and @ad<"20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 19:30
L36	16747	(firewall) and @ad<"20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:42
L37	4308	(firewall) and @ad<"20031114" and (receiv\$4 near6 (header or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:43
L38	2488	(firewall) and @ad<"20031114" and (receiv\$4 near6 (header or packet)) and ((determin\$3 or compar\$4) near6 (header or packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:44
L39	199	(firewall) and @ad<"20031114" and (receiv\$4 near6 (header or packet)) and ((determin\$3 or compar\$4) near6 (header or packet)) and (hash near3 function)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 12:52
L40	2	("20020166063" "7010698").PN.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:00
L41	169	(symantec).as.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:02
L42	0	(symantec).as. and 39	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:02
L43	1	(symantec).as. and 20	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:11
L44	82319	(receiv\$3 near6 packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:11

## EAST Search History

L45	2264	(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:13
L46	2076	(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determin\$3 or send\$3 or forward\$3) near6 packet	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:14
L47	2076	(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determin\$3 or send\$3 or forward\$3) near6 packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:14
L48	0	(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determin\$3 or send\$3 or forward\$3) near6 packet) and (determin\$3 near3 (header near3 space))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:16
L49	822	(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determin\$3 or send\$3 or forward\$3) near6 packet) and (determin\$3 near3 (header))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:16
L50	24	(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determin\$3 or send\$3 or forward\$3) near6 packet) and (determin\$3 near3 (header)) and firewalls and hash\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:22
L51	103	(receiv\$3 near6 packet) and (read\$3 near6 (header near3 packet)) and ((determin\$3 or send\$3 or forward\$3) near6 packet) and (determin\$3 near3 (header)) and hash\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:39
L52	15152	(processor or device or computer) near3 receiv\$3 near3 packet	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:40
L53	3396	(processor or device or computer) near3 receiv\$3 near3 packet and determin\$3 near3 address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:41
L54	696	(processor or device or computer) near3 receiv\$3 near3 packet and determin\$3 near3 address and forward\$3 near3 packet near6 address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:42
L55	4485961	(processor or device or computer) near3 receiv\$3 near3 packet and determin\$3 near3 address and forward\$3 near3 packet near6 address @ad<"20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:43

## EAST Search History

L56	472	(processor or device or computer) near3 receiv\$3 near3 packet and determin\$3 near3 address and forward\$3 near3 packet near6 address and @ad<"20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 14:43
L57	309	(processor or device or computer) near3 receiv\$3 near3 packet and determin\$3 near3 address and forward\$3 near3 packet near6 address and @ad<"20031114"	USPAT	OR	ON	2007/12/06 15:10
L58	6719	((router or computer or processor) near6 (receiv\$3 near3 packet))	USPAT	OR	ON	2007/12/06 16:17
L59	778	((router or computer or processor) near6 (receiv\$3 near3 packet)) and (determin\$3 near6 (packet near3 header))	USPAT	OR	ON	2007/12/06 16:17
L60	79	((router or computer or processor) near6 (receiv\$3 near3 packet)) and (determin\$3 near6 (packet near3 header)) and ((re-rout\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet))	USPAT	OR	ON	2007/12/06 16:18
L61	52	((router or computer or processor) near6 (receiv\$3 near3 packet)) and (determin\$3 near6 (packet near3 header)) and ((re-rout\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and (compar\$4)	USPAT	OR	ON	2007/12/06 16:18
L62	14583	((router or computer or processor) near6 (receiv\$3 near3 packet))	US-PGPUB; USPAT	OR	ON	2007/12/06 16:17
L63	1574	((router or computer or processor) near6 (receiv\$3 near3 packet)) and (determin\$3 near6 (packet near3 header))	US-PGPUB; USPAT	OR	ON	2007/12/06 16:17
L64	141	((router or computer or processor) near6 (receiv\$3 near3 packet)) and (determin\$3 near6 (packet near3 header)) and ((re-rout\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet))	US-PGPUB; USPAT	OR	ON	2007/12/06 16:18
L65	97	((router or computer or processor) near6 (receiv\$3 near3 packet)) and (determin\$3 near6 (packet near3 header)) and ((re-rout\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and (compar\$4)	US-PGPUB; USPAT	OR	ON	2007/12/06 16:19

## EAST Search History

L66	75	((router or computer or processor) near6 (receiv\$3 near3 packet)) and (determin\$3 near6 (packet near3 header)) and ((re-rout\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and (compar\$4) and @ad<"20031114"	US-PGPUB; USPAT	OR	ON	2007/12/06 16:19
L67	10632	((proxy or agent or firewall or router) near6 ((receiv\$3 near3 packet) or header))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:26
L68	7075	((proxy or agent or firewall or router) near6 (receiv\$3 near3 packet))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:25
L69	6299	((proxy or agent or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:27
L70	429	((proxy or agent or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((re-rout\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:38
L71	17	((proxy or agent or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((re-rout\$3 or send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and ((hash near3 function) or (mod near3 division))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:29
L72	405	((proxy or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet))	US-PGPUB; USPAT; IBM_TDB	ADJ	ON	2007/12/06 18:40
L73	287	((proxy or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and @ad<"20031114"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:40

## EAST Search History

L74	192	((proxy or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and @ad<"20031114"	USPAT; IBM_TDB	OR	ON	2007/12/06 18:46
L75	3	((proxy or firewall or router) near6 ((receiv\$3 near3 packet) or header)) and (determin\$3 near6 (packet or header)) and ((send\$3 or forward\$3 or transmit\$4) near6 (modif\$4 near3 packet)) and ((hash near3 function) or (mod near3 division))and @ad<"20031114"	USPAT; IBM_TDB	OR	ON	2007/12/06 19:08
L76	39358	(firewalls or (hash near3 function))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:50
L77	4064	(firewalls or (hash near3 function)) and (packet near3 header)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:50
L78	4011	(firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send\$3 or forward\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:51
L79	3315	(firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send\$3 or forward\$3) and (receiv\$3 near3 packet)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:51
L80	995	(firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send\$3 or forward\$3) and (receiv\$3 near3 packet) and ((determin\$3 or evaluat\$3) near6 (header))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:52
L81	242	(firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send\$3 or forward\$3) and (receiv\$3 near3 packet) and ((determin\$3 or evaluat\$3) near6 (header)) and (header near3 (length or space))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2007/12/06 18:53
L82	111	(firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send\$3 or forward\$3) and (receiv\$3 near3 packet) and ((determin\$3 or evaluat\$3) near6 (header)) and (header near3 (length or space))	USPAT; IBM_TDB	OR	ON	2007/12/06 18:53



## EAST Search History

L83	102	(firewalls or (hash near3 function)) and (packet near3 header) and (rout\$3 or send\$3 or forward\$3) and (receiv\$3 near3 packet) and ((determin\$3 or evaluat\$3) near6 (header)) and (header near3 (length or space)) and @ad<"20031114"	USPAT; IBM_TDB	OR	ON	2007/12/06 19:02
L84	5	(firewalls and (hash near3 function)) and (packet near3 header) and (rout\$3 or send\$3 or forward\$3) and (receiv\$3 near3 packet) and ((determin\$3 or evaluat\$3) near6 (header)) and (header near3 (length or space)) and @ad<"20031114"	USPAT; IBM_TDB	OR	ON	2007/12/06 19:02
L85	0	(hash adj function) and (modulo adj division) and firewall	USPAT; IBM_TDB	OR	ON	2007/12/06 19:09
L86	5	(hash adj function) and (modulo adj division)	USPAT; IBM_TDB	OR	ON	2007/12/06 19:09
L87	172	(firewall).ti. and @ad<"20031114"	USPAT; IBM_TDB	OR	ON	2007/12/06 19:30